

# **Safety Data Sheet**

#### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.

**Product Name** METHYLISOTHIAZOLINONE+ METHYLCHLOROISOTHIAZOLINONE

0.02% aq

C-009B Article Number

**Applications** Diagnosis of contact allergy.

Manufacturer Chemotechnique Diagnostics AB

> Modemgatan 9 SE-235 39 Vellinge

+46 (0) 40 466 077 (Monday-Friday 8.00-16.00) Telephone

Fax +46 (0) 40 466 700

#### 2. HAZARD IDENTIFICATION

#### **Health hazards**

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

## Signs and symptom of exposure

Dermal irritation.

### Medical conditions aggravated by exposure

Dermatitis.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.98%

METHYLISOTHIAZOLINONE 55965-84-9 0.02% Oxidiz. Liq. 3, Skin corr. 1B, Skin sensit.

+ METHYLCHLOROISOTHIA 1, Spec. targ.org. tox. - single exp. 3,

**ZOLINONE** Chron. aq. tox. 2; H314, H317, H335,

H411

Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.98%

METHYLISOTHIAZOLINONE 55965-84-9 0.02% C; R34, R37, R43, R52/53

+ METHYLCHLOROISOTHIA

**ZOLINONE** 

#### **FIRST AID MEASURES** 4.

#### Emergency and first aid procedures

C-009B Version 3 Revision Date: 2014-09-09 Print Date: 2015-07-10 Page 1/3 Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES\*

No data available.

#### 6. ACCIDENTAL RELEASES MEASURES

#### Steps to be taken if material is released or spilled

Contain and place in a closed container.

#### 7. HANDLING AND STORAGE

#### Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to sunlight. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Respiratory protection

Not required.

#### Ventilation

Local exhaust.

### **Protective gloves**

Disposal gloves.

#### Eye protection

Not required with normal use.

### Work/Hygienic practices

Wash hands after each use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Transparent, Colorless Liquid

Odour Odourless

Boiling point\* 100°C

Flash point\* >No data available.

Self ignition\* Product does not self ignite.

Danger of explosion\* Product does not present as an explosion hazard.

Density\* 1.0 g/cm<sup>3</sup>

### 10. STABILITY AND REACTIVITY

# Incompability

May react with strong oxidizing agents.

#### Stability

Stable at recommended storage conditions.

# **Hazardous polymerization**

Will not occur.

C-009B Version 3 Revision Date: 2014-09-09 Print Date: 2015-07-10 Page 2/3

<sup>\*</sup>Data is shown for AQUA Purificata only

#### 11. TOXICOLOGICAL INFORMATION

No data available.

### 12. ECOLOGICAL INFORMATION

No data available.

#### 13. DISPOSAL CONSIDERATIONS

### Waste disposal method

Comply with federal, state/provincial and local regulation.

#### 14. TRANSPORT INFORMATION

Not dangerous goods.

#### 15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

#### 16. OTHER INFORMATION

# Text of H-statements and R-phrases mentioned in Section 3

Oxidiz. Liq. 3	Oxidizing liquids (Category 3)
Skin corr. 1B	Skin corrosion (Category 1B)
Skin sensit. 1	Skin sensitization (Category 1)
Spec. targ. org. tox single exp. 3	Specific target organ toxicity - single exposure (Category 3)
Chron. aq. tox. 2	Chronic aquatic toxicity (Category 2)
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.
С	Corrosive
R34	Causes burns.
R35	Causes severe burns.
R37	Irritating to respiratory system.
R43	May cause sensitization by skin contact.
R52/53	Harmful to aquatic organisms, may cause long- term adverse effects in the aquatic environment.

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

C-009B Version 3 Revision Date: 2014-09-09 Print Date: 2015-07-10 Page 3/3