



BIOPSY Forceps and brushes

YOUR TRUSTED PARTNER IN ENDOSCOPY

DISPOSABLE BIOPSY FORCEPS where technology and reliability meet

The biopsy forceps are extraordinarily sharp, which guarantees safe and effortless removal of significant tissue specimens.The CamDesign of our TechBite™ requires only very gentle contact pressure for a very good biopsy. The shortened distal end goes easy on the working channel, even in angled positions. This is always guaranteed by the fully-mechanized production system used to manufacture TechBite[™]. With its classic shear joints, the TruBite combines easy handling with reliable quality.

SPECIFIC CHARACTERISTICS

- Significant biopsies
- A design that goes easy on the working channel
- Short distal end: 9 mm (TechBite[™]), 11.5 mm (TruBite)
- Wide product range






Cam-Design (Fig. TechBite™)


Scissors joint (Fig. TruBite)

CONVINCING IN PRACTICAL USE

All of our forceps are equipped with a polyethylene coating. The labels can be consulted at any time for information regarding the withdrawal of the biopsy forceps.



Biopsate removed with a toothed cutting edge



Biopsate removed with a smooth cutting edge

HANDLE AVAILABLE IN 1-RING OR 3-RING VERSION

The TechBites[™] are equipped with the 1-ring handle. This allows you to use a one-hand grip method.

The 3-ring handle is the comfortable version, with a soft, anti-slip rubber coating. This provides both additional safety as well as comfort during work. All of our biopsy forceps are furnished with this handle, with the exception of the TechBites[™].

JAW SECTIONS FOR EVERY INTERVENTION

Whether for biopsies or for removal of small polyps – the disposable biopsy forceps are perfectly equipped for any task with different jaw sections: with a smooth or a toothed cutting edge, with or without a spike.


HIGH QUALITY COATING

The coating protects the working channel against scratching and provides a frictionless feed motion. The colored marking shows the removal of the forceps from the working channel in order to prevent damage to the mucous membrane. The forceps have been given different colors so they can be guickly allocated in accordance with working length:

Blue: 2300 mm or 2600 mm Orange: 1800 mm Yellow: Pedriatic 1800 mm or 2600 mm

SELECTION OF MORE THAN 30 BIOPSY FORCEPS

The broad range includes forceps of various sizes, and with differing features. An extract from the portfolio can be found below, while page five (5) offers a complete overview.



SPECIFICATIONS

| REF | Working channel Ø mm | Length mm | Opening width mm | Jaw Ø mm | Spike | Covering | Jaw | Grip | | |
|--------------------|-------------------------|--------------|---------------------|-------------|-------|----------|------------|--------|--|--|
| TECHBITE™ | | | | | | | | | | |
| EBF33-11023180 | 2.8 | 1800 | 6.7 | 2.3 | No | Orange | Smooth | 1-ring | | |
| EBF33-11023230 | 2.8 | 2300 | 6.7 | 2.3 | No | Blue | Smooth | 1-ring | | |
| EBF33-11123180 | 2.8 | 1800 | 6.7 | 2.3 | Yes | Orange | Smooth | 1-ring | | |
| EBF33-11123230 | 2.8 | 2300 | 6.7 | 2.3 | Yes | Blue | Smooth | 1-ring | | |
| EBF43-11023180 | 2.8 | 1800 | 6.7 | 2.3 | No | Orange | Serrated | 1-ring | | |
| EBF43-11023230 | 2.8 | 2300 | 6.7 | 2.3 | No | Blue | Serrated | 1-ring | | |
| EBF43-11123180 | 2.8 | 1800 | 6.7 | 2.3 | Yes | Orange | Serrated | 1-ring | | |
| EBF43-11123230 | 2.8 | 2300 | 6.7 | 2.3 | Yes | Blue | Serrated | 1-ring | | |
| TRUBITE | | | | | | | | | | |
| EBF53-11023180 | 2.8 | 1800 | 6.7 | 2.3 | No | Orange | Smooth | 3-ring | | |
| EBF53-11023230 | 2.8 | 2300 | 6.7 | 2.3 | No | Blue | Smooth | 3-ring | | |
| EBF53-11123180 | 2.8 | 1800 | 6.7 | 2.3 | Yes | Orange | Smooth | 3-ring | | |
| EBF53-11123230 | 2.8 | 2300 | 6.7 | 2.3 | Yes | Blue | Smooth | 3-ring | | |
| EBF63-11023180 | 2.8 | 1800 | 6.7 | 2.3 | No | Orange | Serrated | 3-ring | | |
| EBF63-11023230 | 2.8 | 2300 | 6.7 | 2.3 | No | Blue | Serrated | 3-ring | | |
| EBF63-11123180 | 2.8 | 1800 | 6.7 | 2.3 | Yes | Orange | Serrated | 3-ring | | |
| EBF63-11123230 | 2.8 | 2300 | 6.7 | 2.3 | Yes | Blue | Serrated | 3-ring | | |
| SPECIAL FORCEP | S | | | | | | | | | |
| TECHBITE™ – PAEDIA | ATRICS | | | | | | | | | |
| EBF33-11018180 | 2.0 | 1800 | 4.5 | 1.8 | No | Yellow | Smooth | 1-ring | | |
| EBF43-11018180 | 2.0 | 1800 | 4.5 | 1.8 | No | Yellow | Serrated | 1-ring | | |
| EBF43-11118180 | 2.0 | 1800 | 4.5 | 1.8 | Yes | Yellow | Serrated | 1-ring | | |
| TRUBITE – PAEDIATR | ICS | | | | | | | | | |
| EBF53-11018180 | 2.0 | 1800 | 4.5 | 1.8 | No | Yellow | Smooth | 3-ring | | |
| EBF53-11118180 | 2.0 | 1800 | 4.5 | 1.8 | Yes | Yellow | Smooth | 3-ring | | |
| EBF13-11018180 | 2.0 | 1800 | 4.5 | 1.8 | No | Yellow | Serrated | 3-ring | | |
| EBF13-11118180 | 2.0 | 1800 | 4.5 | 1.8 | Yes | Yellow | Serrated | 3-ring | | |
| TRUBITE - ENTEROS | СОРҮ | | | | | | | | | |
| EBF03-11018260 | 2.0 | 2600 | 4.5 | 1.8 | No | Yellow | Smooth | 3-ring | | |
| EBF03-11023260 | 2.8 | 2600 | 6.7 | 2.3 | No | Blue | Smooth | 3-ring | | |
| TRUBITE – MACRO | | | | | | | | | | |
| EBF03-01030230 | 3.2 | 2300 | 8.5 | 3.0 | No | Blue | Smooth | 3-ring | | |
| EBF03-01130230 | 3.2 | 2300 | 8.5 | 3.0 | Yes | Blue | Smooth | 3-ring | | |
| EBF13-01030230 | 3.2 | 2300 | 8.5 | 3.0 | No | Blue | Serrated | 3-ring | | |
| EBF13-01130230 | 3.2 | 2300 | 8.5 | 3.0 | Yes | Blue | Serrated | 3-ring | | |
| LARGE CAPACITY | | | | | | | | 0 | | |
| LCEBF63-10024180 |) 2.8 | 1800 | 9.0 | 2.4 | No | Orange | Serrated | 3-ring | | |
| LCEBF63-10024230 | | 2300 | 9.0 | 2.4 | No | Blue | Serrated | 3-ring | | |
| LCEBF63-10124180 | | 1800 | 9.0 | 2.4 | Yes | Orange | Serrated | 3-ring | | |
| LCEBF63-10124230 | | 2300 | 9.0 | 2.4 | Yes | Blue | Serrated | 3-ring | | |
| | | _000 | 0.0 | | | 2.00 | 2.5.14.004 | 29 | | |

Packaging unit: 10 pieces



HOT BIOPSY FORCEPS REMOVE BIOPSIES AND STOP BLEEDING

MICRO-TECH unites several therapeutic working steps with its practical 2-in-1 solution. On one hand, the hot biopsy forceps serve as conventional hot forceps, removing small colonic polyps precisely and safely in active mode while taking diagnostically conclusive tissue samples in non-active mode. On the other hand, they serve as an urgent measure for stopping bleeding, since the smallest lesions can be closed again at any time via coagulation. In this respect, MICRO-TECH's hot biopsy forceps suitability for treating patients with increased risk of bleeding is unparalleled.

SPECIFIC CHARACTERISTICS

- Very comfortable to use
- High quality riveted scissors joints
- Puncture-proof PTFE insulation
- 3-ring handle with Olympus-HF-connection
- Excellent cutting properties






HF-connection

Scissors joint

SUCCESSFUL IN PRACTICAL USE

The hot biopsy forceps from MICRO-TECH are particularly suitable for use in patients with an increased risk of bleeding. If bleeding occurs during tissue sampling or polyp removal, this can be treated immediately and stopped via coagulation current.







Hot biopsy forceps in endoscopic use



TARGET-ORIENTED USE OF POWER

The 3-ring handle is equipped with a universal HF-connection for safe and controlled power supply. The PTFE insulation of the metal coil is impact-resistant and prevents current conductive contact with the tissue.

SPECIFICATIONS

| REF | Ømm | Length mm | Spike | Insulated | Jaw |
|----------------------------|-------|-----------|-------|-----------|----------|
| HOT-BIOPSY FORCEPS WITH CO | ATING | | | | |
| HBF05-11018120 | 1.8 | 1200 | No | Yes | Standard |
| HBF05-11018180 | 1.8 | 1800 | No | Yes | Standard |
| HBF05-11023180 | 2.3 | 1800 | No | Yes | Standard |
| HBF05-11023230 | 2.3 | 2300 | No | Yes | Standard |


Packaging unit: 10 pieces

CYTOLOGY BRUSHES THE SOLUTION FOR EASY AND SAFE CYTOLOGIC SMEARS

One established method of acquiring cell specimens consists of taking cytologic smears with cytology brushes: MICRO-TECH makes cytologic smearing efficient and safe, owing to a series of cytology brushes which are especially adapted to clinical requirements. The MICRO-TECH cytology brush can be push forward easily to the desired site through the endoscope. The thin bristles enable a tissue-sparing cytologic smear. The plastic tube and the distal ball for closure protect the tissue sample when the device is retracted. A potential contamination of the sample or even a loss of sample is thus excluded.

SPECIFIC CHARACTERISTICS

- Thin bristles for an optimal collection of cells
- Includes a plastic tube and a metal "ball shaped" head for tight closure
- For endoscopes with a minimum working channel diameter of 2.0 mm
- Sterile single packaging



SAFE AND CONTROLLED INTRODUCTION

By using MICRO-TECH cytology brushes, you can access lesions that are hard to reach, easily and safely. The ergonomically shaped 3-ring handle also gives the user a secure and comfortable grip. Every movement is conveyed to the brush head, directly and with precision.



Ergonomically handle

COMPREHENSIVE RANGE OF PRODUCTS

MICRO-TECH offers a great variety of cytology brush models which are suited for many application fields and comply with clinical specifications.

SPECIFICATIONS

| REF | Brush Ø mm | Length mm | Catheter Ø mm |
|---------------------------|------------|-----------|---------------|
| SINGLE-USE CYTOLOGY BRUSH | | | |
| CYB-24S-12C | 2.4 | 1200 | 1.8 |
| CYB-30S-12C | 3.0 | 1200 | 1.8 |
| CYB-30S-24C | 3.0 | 2400 | 2.3 |
| CYB-40S-12C | 4.0 | 1200 | 1.8 |
| CYB-40S-24C | 4.0 | 2400 | 2.3 |

Packaging unit: 20 pieces



| | | | |
|------|-------------|-----------|------|
| | | | |
| | | | |
| | | | |
| | • • • • • • | • • • • • | |
| | | | |
| | | • • • • • | |
| | | | |
| | | • • • • • | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| • • • | • • | • • | | • • | • • | • • | ٠ | • | • • | ٠ | | • | • | • | • • | ٠ | • | ٠ | • • | ٠ | ٠ | ٠ | • | • | • | • | • | • • | |
|-------|-----|-----|-----|-----|-----|-----|---|---|-----|---|---|---|---|---|-----|---|---|---|-----|---|---|---|---|---|---|---|---|-----|--|
| 0 0 0 | • • | | | • | • • | • | • | • | • • | ٠ | * | • | • | • | • • | • | • | • | • • | • | ٠ | • | • | • | • | • | ٠ | • • | |
| | | | | | | ••• | • | • | | • | • | • | • | | • • | • | • | • | • • | • | • | • | • | • | • | • | • | • • | |
| | | | | | | | • | | | | | | | | | | | | | | | | | | | | | | |
| | • • | • • | | | • • | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | • | | | • | | • • | | | | | | | | | | | | ٠ | | | | | • | • | • • | |
| | • • | • • | | • | • • | • | • | • | • • | ٠ | • | • | • | • | • • | • | • | • | • • | ٠ | ٠ | | ٠ | • | • | • | • | • • | |
| • • • | • • | • • | • • | | • • | • | • | • | • • | • | • | · | • | • | • • | • | • | • | • • | • | • | • | • | • | • | • | • | • • | |
| | • • | • • | | • • | • • | • • | • | • | • • | • | • | · | • | • | • • | • | • | • | • • | • | • | • | • | • | • | • | • | • • | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | • • | | • • | • • | | • | • | • • | ٠ | | • | • | • | • • | | • | | | • | • | | ٠ | • | | | • | • • | |
| | | • • | | • • | • • | • • | | • | • • | • | • | • | • | • | • • | | • | • | • • | | ٠ | | • | • | • | | • | • • | |
| • • • | • • | • • | | | • • | • • | • | • | • • | • | ٠ | • | • | • | | | ٠ | • | • • | • | • | • | • | • | • | • | • | • • | |
| • • • | • • | • • | | | • • | • • | ٠ | • | • • | ٠ | • | • | ٠ | ٠ | • • | • | ٠ | ٠ | • • | ٠ | ٠ | • | • | • | • | • | • | • • | |
| • • • | • • | • • | | | | | • | | | • | • | • | | | | | | | | • | • | | • | | | | • | | |
| | | | | | | | • | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | • | • | | • • | | | | | • | • • | | | ٠ | | | ٠ | | • | • | | | • | • • | |
| | | • • | | | • • | • • | | • | • • | ٠ | ٠ | · | • | • | | | ٠ | | • • | | • | | • | • | • | | • | • • | |
| | • • | • • | • • | • | • • | • | ٠ | • | • • | | ٠ | • | • | • | • • | • | • | • | • • | • | • | • | ٠ | • | • | • | • | • • | |
| | • • | • • | | • • | • • | • • | • | • | | ٠ | • | • | • | ٠ | • • | • | • | ٠ | • • | ٠ | ٠ | • | ٠ | • | • | • | • | • • | |
| | • • | | | | | • • | • | • | | • | • | • | • | | | • | • | | | • | • | • | • | • | | • | | | |
| | | | | | | | | | | | | | | | | | • | | | | | | | | | | | | |
| | • • | • • | | • | • • | | • | • | • • | ٠ | | | | | | • | | | • • | | | | ٠ | | | | • | • • | |
| | | • • | | | • • | • | | • | • • | ٠ | • | • | • | • | • • | | ٠ | | • • | | | | ٠ | • | | • | • | • • | |
| • • • | • • | • • | | | • • | • • | • | • | • • | • | • | ٠ | • | • | • • | | • | • | • • | • | ٠ | • | ٠ | • | • | • | • | ••• | |
| | • • | • • | | | • • | | • | • | | • | • | • | • | • | | • | • | • | | • | • | • | • | • | • | • | • | • • | |
| | | | | | | | • | | | | | | | | | • | | | | • | | | | | | | | | |
| | | | | | • • | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | • • | | | | • • | | | • | | | | | | | | • | | | | | | • | • | | |
| * * * | • • | • • | | | • • | • | • | • | • • | • | • | • | • | • | • • | | • | • | • • | • | ٠ | • | • | • | | • | • | • • | |
| • • • | | • • | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| • • • | | | | | | | | • | • • | | | • | | | | | | | | | ٠ | | • | • | | | • | | |
| • • • | • • | • • | | • • | • • | • • | | • | • • | • | • | | • | • | | | • | | • • | | • | | • | • | | | • | • • | |
| | • • | • • | | | • • | • | • | • | • • | | • | • | • | • | | | • | • | | • | • | • | ٠ | • | • | • | • | • • | |
| | • • | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | • • | | | | • • | | | | | | | | | | | | | | | | | | | | | | | | |
| | | • • | | | • • | • • | • | | • • | | | • | | | | | | • | | | ٠ | | • | • | | | • | • • | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



MICRO-TECH Europe GmbH Mündelheimer Weg 48 40472 Düsseldorf | Germany P +49 (0)211 73 27 626-0 | F +49 (0)211 73 27 626-99 contact@micro-tech-europe.com www.micro-tech-europe.com